Chapter I

Certain infectious and parasitic diseases (A00-B99)

Incl.:

diseases generally recognized as communicable or transmissible

Use additional code (U80 U89), (U82-U84), if desired, to identify the antibiotic to which a bacterial agent is resistant. resistance to antimicrobial drugs.

Excl.:

carrier or suspected carrier of infectious disease (Z22.-)

certain localized infections - see body system-related chapters

infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium [except obstetrical tetanus] (098.-)

infectious and parasitic diseases specific to the perinatal period [except tetanus neonatorum, congenital syphilis, perinatal gonococcal infection and perinatal human immunodeficiency virus [HIV] disease] (P35-P39)

influenza and other acute respiratory infections (J00-J22)

Intestinal infectious diseases (A00-A09)

A05Other bacterial foodborne intoxications, not elsewhere classified

Excl.:

Clostridium difficile foodborne intoxication and infection (A04.7)

Escherichia coli infection (A04.0-A04.4)

listeriosis (A32.-)

salmonella foodborne intoxication and infection (A02.-)

toxic effect of noxious foodstuffs (T61-T62)

Other bacterial diseases (A30-A49)

A40Streptococcal sepsis

Use additional code (R57.2) if desired, to identify septic shock.

Excl.:

during labour (075.3)

following:

- abortion or ectopic or molar pregnancy (O03-O07, O08.0)
- immunization (T88.0)
- infusion, transfusion or therapeutic injection (T80.2)

```
neonatal (P36.0-P36.1)
postprocedural (T81.4)
puerperal (O85)
```

A41Other sepsis

Use additional code (R57.2) if desired, to identify septic shock.

Excl.:

bacteraemia NOS (A49.9) during labour (O75.3) following:

- abortion or ectopic or molar pregnancy (003-007, 008.0)
- immunization (T88.0)
- infusion, transfusion or therapeutic injection (T80.2)

sepsis (due to)(in):

- actinomycotic (A42.7)
- anthrax (A22.7)
- candidal (B37.7)
- Erysipelothrix (A26.7)
- extraintestinal yersiniosis (A28.2)
- gonococcal (A54.8)
- herpesviral (B00.7)
- listerial (A32.7)
- meningococcal (A39.2-A39.4)
- neonatal (P36.-)
- postprocedural (T81.4)
- puerperal (O85)
- streptococcal (A40.-)
- tularaemia (A21.7)

septic:

- melioidosis (A24.1)
- plague (A20.7)

toxic shock syndrome (A48.3)

A41.9Sepsis, unspecified

Note:

Use additional code (R57.2) if desired to identify septic shock

Incl.:

Septic shock

Septicaemia

Viral infections characterized by skin and mucous membrane lesions (B00-B09)

B00Herpesviral [herpes simplex] infections

B00.80ther forms of herpesviral infection

Incl.:

Herpesviral:

- hepatitis† (K77.0*)
- whitlowwhitlow+ (L99.8*)

Viral hepatitis (B15-B19)

B17Other acute viral hepatitis

B17.9Acute viral hepatitis, unspecified

Incl.:

Acute hepatitis, NOS

Acute infectious hepatitis NOS

Helminthiases

(B65-B83)

B71Other cestode infections

B71.1Dipylidiasis

Incl.:

Dog tapeworm (infection)

```
Chapter II
Neoplasms
(C00-D48)
```

Malignant neoplasms (C00-C97)

<u>Use additional code (U85)</u>, if desired, to identify resistance, non-responsiveness and refractive properties of the neoplasm to antineoplastic drugs.

Malignant neoplasms, stated or presumed to be primary, of specified sites, except of lymphoid, haematopoietic and related tissue (C00-C75)

Malignant neoplasms of digestive organs (C15-C26)

©26Malignant neoplasm of other and ill-defined digestive organs

C26.1Spleen

Excl.:

diffuse non-Hodgkin lymphoma (C83.-)follicular lymphoma (C82.-) follicular Hodgkin lymphoma (C82.-) (C81.-)

Hodgkin disease (C81.-)mature T/NK-cell lymphomas (C84.-)

mature T/NK-cell lymphomas (C84.-)non-follicular lymphoma (C83.-)

non-Hodgkin lymphoma, other and unspecified types (C85.-)

Malignant neoplasms of eye, brain and other parts of central nervous system (C69-C72)

C69Malignant neoplasm of eye and adnexa

C69.4Ciliary body

Incl.:

Eyeball

C69.9Eye, unspecified

Incl.:

Eyeball

Malignant neoplasms of ill-defined, secondary and unspecified sites (C76-C80)

©79 Secondary malignant neoplasm of other and unspecified sites

C79.9Secondary malignant neoplasm, unspecified site

Incl.:

Carcinomatosis (secondary)

Disseminated (secondary):

- cancer NOS
- malignancy NOS

Generalized (secondary):

- cancer NOS
- malignancy NOS

Multiple secondary cancer NOS

Sarcomatosis (secondary)

©80 Malignant neoplasm, without specification of site

C80.9Malignant neoplasm, primary site unspecified

Incl.:

Cancer NOS

Carcinoma NOS

Malignancy NOS

Malignant cachexia NOS

Multiple cancer NOS

Excl.:

multiple secondary cancer NOS (C79.9)

secondary malignant neoplasm, unspecified site (C79.9)

Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue (C81-C96)

C81 Hodgkin lymphoma

C81.1Nodular sclerosis (classical) classical Hodgkin lymphoma

C81.2Mixed cellularity classical Hodgkin lymphom cellularity (classical) Hodgkin lymphoma

C81.3Lymphocyte depleted (classical) classical-Hodgkin lymphoma

C81.4Lymphocyte-rich (classical) classical Hodgkin lymphoma

Excl.:

nodular lymphocyte predominant Hodgkin lymphoma (C81.0)

C81.70ther (classical) classical Hodgkin lymphoma

Incl.:

Classic Hodgkin lymphoma, type not specified

C82Follicular lymphoma

Incl.:

follicular lymphoma with or without diffuse areas

Excl.:

mature_T/NK-cell non-Hodgkin-lymphoma (C84.-)

C83Non-follicular lymphoma

C83.0Small cell B-cell lymphoma

Incl.:

Lymphoplasmacytic lymphoma

Nodal marginal zone lymphoma

Non-leukaemic variant of B-CLL

Splenic marginal zone lymphoma

Excl.:

Chronic lymphocytic leukaemia (C91.1)

Waldenström macroglobulinaemia (C88.0)

mature T/NK-cell lymphomas (C84.-)

C83.3Diffuse large B-cell lymphoma

Incl.:

- Anaplastic
- CD30-positive
- Centroblastic
- Plasmablastic
- Immunoblastic
- Subtype not specified
- T-cell rich

· diffuse large B-cell lymphoma

Excl.:

```
mediastinal (thymic) large B-cell lymphoma (C85.2) 
mature T/NK-cell lymphomas (C84.-)
```

C83.5Lymphoblastic (diffuse) lymphoma

Incl.:

B-<u>cell</u> precursor lymphoma

Lymphoblastic B-cell lymphoma

Lymphoblastic lymphoma NOS

Lymphoblastic T-cell lymphoma

T-cell precursor lymphoma

C84 Mature T/NK-cell lymphomas

C84.4Peripheral T-cell lymphoma, not elsewhere classified

Incl.:

Lennert's lymphoma

Lymphoepithelioid lymphoma

C86Other specified types of T/NK-cell lymphoma

C86.1Hepatosplenic T-cell lymphoma

Excl.:

Alpha-beta and gamma-delta types (C86.6)

Incl.:

Alpha-beta and gamma-delta types

C86.5Angioimmunoblastic T-cell lymphoma

Incl.:

Angioimmunoblastic lymphadenopathy with dysproteinaemia (AILD) [AILD]

C86.6Primary cutaneous CD30-positive T-cell proliferations

Incl.:

Lymphomatoid papulosis

Primary cutaneous anaplastic large-cell lymphoma

Primary cutaneous CD30 + large T - cell CD30 - positive large T - cell lymphoma

C90 Multiple myeloma and malignant plasma cell neoplasms

C90.0Multiple myeloma

Incl.:

Kahler disease

Medullary plasmacytoma

Myelomatosis

Plasma cell myeloma

Medullary plasmacytoma

Excl.:

solitary plasmacytoma (C90.3)

C91Lymphoid leukaemia

C91.5Adult T-cell-lymphoma/leukaemia (HTLV-1-associated)

lymphoma/leukaemia [HTLV-1-associated]

Incl.:

- Acute
- Chronic
- Lymphomatoid
- Smouldering

 variant of adult T-cell lymphoma/leukaemia

C91.70ther lymphoid leukaemia

Incl.:

T-cell large granular lymphocytic leukaemia (associated with rheumatoied arthritis)

C92 Myeloid leukaemia

C92.1Chronic myeloid leukaemia [CML], BCR/ABL-positive

Incl.:

Chronic myelogenous leukaemia:

- Philadelphia chromosome (Ph1) positive
- t(9:22)(q34; q11)
- with crisis of blast cells

Chronic myelogenous leukaemia, Philadelphia chromosome (Ph1) positiveChronic myelogenous leukaemia, t(9:22)(q34; q11)

Chronic myelogenous leukaemia with crisis of blast cells

Excl.:

atypical chronic myeloid leukaemia, <u>BCR/ABL-negative</u> (C92.2) chronic myelomonocytic leukaemia (C93.1) unclassified myeloproliferative disease (D47.1)

©96Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue

C96.2Malignant mast cell tumour

```
Incl.:
Aggressive systemic mastocytosis
Mast cell sarcoma

Excl.:
indolent mastocytosis (D47.0)
mast cell leukaemia (C94.3)
mastocytosis (congenital) mastocytosis (cutaneous) (Q82.2)
```

Benign neoplasms (D10-D36)

D16Benign neoplasm of bone and articular cartilage

Incl.:

Keratocystic odontogenic tumour

Excl.:

connective tissue of:

- ear (D21.0)
- eyelid (D21.0)
- larynx (D14.1)
- nose (D14.0)

synovia (D21.-)

D31Benign neoplasm of eye and adnexa

D31.4Ciliary body

Incl.:

Eyeball

D31.9Eye, unspecified

Incl.:

Eyeball

Neoplasms of uncertain or unknown behaviour (D37-D48)

D46 Myelodysplastic syndromes

Incl.:

Alykylating agent related myelodysplastic syndrome Epipodophyllotoxin related myelodysplastic syndrome Therapy related myelodysplastic syndrome NOS

Excl.:

drug induced aplastic anaemia (D61.1)

D46.0Refractory anaemia without ringed sideroblasts, so stated

Note:

without sideroblasts, without excess of blasts

D46.1Refractory anaemia with ringed sideroblasts

D47Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue

D47.0Histiocytic and mast cell tumours of uncertain and unknown behaviour

Incl.:

Indolent systematic mastocytosis

Mast cell tumour NOS

Mastocytoma NOS

Systemic mastocytosis, associated with clonal haematopoietic non-mast-cell disease (SM-AHNMD)

Excl.:

mastocytosis (congenital) mastocytosis (cutaneous) (Q82.2)

D47.1Chronic myeloproliferative disease

Incl.:

Chronic neutrophilic leukaemia

Myeloproliferative disease, unspecified

Excl.:

atypical chronic myeloid leukaemia, <u>BCR/ABL-negative</u> (C92.2) chronic myeloid leukaemia [CML] BCR/ABL-positive (C92.1)

Chapter III

Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Other diseases of blood and blood-forming organs (D70-D77)

D76Other specified diseases with participation of lymphoreticular and reticulohistiocytic tissue

Excl.:

(Abt-)Letterer-Siwe disease (C96.0)
eosinophilic granuloma (C96.6)
Hand-Schüller-Christian disease (C96.5)
histiocytic sarcoma (C96.8)
histiocytosis X, multifocal (C96.5)

histiocytosis X, unifocal (C96.6) Langerhans-cell histiocytosis, multifocal (C96.5)

Langerhans-cell histiocytosis, unifocal (C96.6)

malignant histiocytosis (C96.8)

reticuloendotheliosis-or reticulosis:

- histiocytic medullary (C96.9) leukaemic (C91.4)
- leukaemic (C91.4) nonlipid (C96.0)

reticulosis:

- lipomelanotic (I89.8)histiocytic medullary (C96.8)
- malignant (C85.7) lipomelanotic (I89.8)
- nonlipid (C96.0) malignant NOS (C86.0)

Certain disorders involving the immune mechanism (D80-D89)

D89Other disorders involving the immune mechanism, not elsewhere classified Excl.:

hyperglobulinaemia NOS (R77.1) monoclonal gammopathy of undertermined significance_[MGUS] (MGUS) (D47.2) transplant failure and rejection (T86.-)

D89.3Immune reconstitution syndrome

Incl ·

Immune reconstitution inflammatory syndrome [IRIS]

Use additional external cause code (Chapter XX), if desired, to identify drug.

Chapter IV Endocrine, nutritional and metabolic diseases (E00-E90)

Diabetes mellitus (E10-E14)

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

Modifiers

The following fourth-character subdivisions are for use with categories E10-E14:

.0 With coma

Incl.:

Diabetic:

- coma with or without ketoacidosis
- <u>hyperosmolar coma</u>
- <u>hypoglycaemic coma</u>

Hyperglycaemic coma NOS

- .1 With ketoacidosis
- .2† With renal complications
- .3† With ophthalmic complications
- .4† With neurological complications
- .5 With peripheral circulatory complications
- .6 With other specified complications
- .7 With multiple complications
- .8 With unspecified complications
- .9 Without complications

E10 Insulin dependent diabetes Type 1 diabetes mellitus

[See before E10 for subdivisions]

Incl.:

diabetes (mellitus):

- brittle
- juvenile-onset
- ketosis-prone
- type I

Excl.:

diabetes mellitus (in):

- malnutrition-related (E12.-)
- neonatal (P70.2)
- pregnancy, childbirth and the puerperium (O24.-)

```
glycosuria:
```

- NOS (R81)
- renal (E74.8)

impaired glucose tolerance (R73.0)
postsurgical hypoinsulinaemia (E89.1)
Modifiers

E11 Non-insulin-dependent diabetes Type 2 diabetes mellitus

[See before E10 for subdivisions]

Incl.:

diabetes (mellitus)(nonobese)(obese):

- adult-onset
- maturity-onset
- nonketotic
- stable
- type II

non-insulin-dependent diabetes of the young

Excl.:

diabetes mellitus (in):

- malnutrition-related (E12.-)
- neonatal (P70.2)
- pregnancy, childbirth and the puerperium (O24.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

impaired glucose tolerance (R73.0)
postsurgical hypoinsulinaemia (E89.1)
Modifiers

312 Malnutrition-related diabetes mellitus

[See before E10 for subdivisions]

Incl.:

malnutrition-related diabetes mellitus:

- insulin-dependenttype 1
- non-insulin-dependenttype 2

Excl.:

diabetes mellitus in pregnancy, childbirth and the puerperium (O24.-) glycosuria:

- NOS (R81)
- renal (E74.8)

```
impaired glucose tolerance (R73.0)
neonatal diabetes mellitus (P70.2)
postsurgical hypoinsulinaemia (E89.1)
Modifiers
```

E18 Other specified diabetes mellitus

```
[See before E10 for subdivisions]
```

Excl.:

diabetes mellitus (in):

- insulin-dependent (E10.-)malnutrition-related (E12.-)
- malnutrition related (E12.) neonatal (P70.2)
- neonatal (P70.2) pregnancy, childbirth and the puerperium (O24.-)
- non-insulin-dependent (E11.-)type 1 (E10.-)
- pregnancy, childbirth and the puerperium (O24.)type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

```
impaired glucose tolerance (R73.0)
postsurgical hypoinsulinaemia (E89.1)
Modifiers
```

E14Unspecified diabetes mellitus

```
[See before E10 for subdivisions]
```

Incl.:

diabetes NOS

Excl.:

diabetes mellitus (in):

- insulin-dependent (E10.)malnutrition-related (E12.-)
- malnutrition-related (E12.-) neonatal (P70.2)
- neonatal (P70.2) pregnancy, childbirth and the puerperium (O24.-)
- non-insulin-dependent (E11.-)Type 1 (E10.-)
- pregnancy, childbirth and the puerperium (O24.)Type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

impaired glucose tolerance (R73.0)
postsurgical hypoinsulinaemia (E89.1)
Modifiers

Metabolic disorders (E70-E90)

E84 Cystic fibrosis

E84.1Cystic fibrosis with intestinal manifestations

Incl.:

Distal intestinal obstruction syndrome Meconium ileus in cystic fibrosis† (P75*)

Eval :

meconium obstruction (ileus) in cases where cystic fibrosis is known not to be present (P76.0)

E84.8Cystic fibrosis with other manifestations

Incl.:

Cystic fibrosis with combined manifestations

Chapter VI Diseases of the nervous system (G00-G99)

Inflammatory diseases of the central nervous system (G00-G09)

G04 Encephalitis, myelitis and encephalomyelitis

G04.80ther encephalitis, myelitis and encephalomyelitis

Incl.:

Postinfectious encephalitis and encephalomyelitis NOS

Use additional code, if desired, to identify any associated epileptic seizures (G40.-).

G09 Sequelae of inflammatory diseases of central nervous system

Note:

Category G09 is to be used to indicate conditions whose primary classification is to G00-G08 (i.e. excluding those marked with an asterisk (*)) as the cause of sequelae, themselves classifiable elsewhere. The "sequelae" include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition. For use of this category reference should be made to the relevant morbidity and mortality coding rules and guidelines in Volume 2.

Not to be used for chronic inflammatory diseases of the central nervous system. Code these to current inflammatory diseases of the central nervous system.

Extrapyramidal and movement disorders (G20-G26)

G23Other degenerative diseases of basal ganglia

G23.1Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski]

Incl.:

Progressive supranuclear palsy

G25Other extrapyramidal and movement disorders

G25.80ther specified extrapyramidal and movement disorders

Incl.

Akathisia (drug-induced) (treatment-induced)

Restless legs syndrome

Stiff-man syndrome

<u>Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced</u>

Chapter VIII Diseases of the ear and mastoid process (H60-H95)

Diseases of middle ear and mastoid (H65-H75)

H65Nonsuppurative otitis media

Incl.:

with myringitis

Use additional code (H72), (H72.-), if desired, to identify presence of perforated tympanic membrane.

H66Suppurative and unspecified otitis media

Incl.:

with myringitis

Use additional code-(H72), (H72.-), if desired, to identify presence of perforated tympanic membrane.

Chapter IX

Diseases of the circulatory system (100-199)

Chronic rheumatic heart diseases (105-109)

IO5Rheumatic mitral valve diseases

Incl.:

conditions classifiable to 105.0 and 105.2-105.9, whether 105.0 and 105.2-105.9, whether specified as rheumatic or not

Excl.:

when specified as nonrheumatic (I34.-)

Ischaemic heart diseases (I20-I25)

Note:

For morbidity, duration as used in categories I21, I22, I24 and I25 refer to the interval elapsing between onset of the ischaemic episode and admission to care. For mortality, duration refers to the interval elapsing between onset and death.

Incl.:

with mention of hypertension (I10-I15)

Use additional code, if desired, to identify presence of hypertension.

I20Angina pectoris

120.80ther forms of angina pectoris

Incl.:

Angina of effort

Coronary slow flow syndrome

Stenocardia

I22Subsequent myocardial infarction

Note:

For morbidity coding, this category should be assigned for infarction of any myocardial site, occurring within 4 weeks (28 days) from onset of a previous infarction

Incl.:

myocardial infarction:

- extension
- recurrent
- reinfarction

For morbidity coding, this category should be assigned for infarction of any myocardial site, occurring within 4 weeks (28 days) from onset of a previous infarction

Excl.:

specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset (I25.8)

Other forms of heart disease (I30-I52)

I41* Myocarditis in diseases classified elsewhere

I41.1*Myocarditis in viral diseases classified elsewhere

Incl.:

Influenzal myocarditis (acute): (acute) (J09⁺, J10.8⁺, J11.8⁺)

- avian influenza virus identified (J09⁺)
- other virus identified (J10.8†)
- virus not identified (J11.8†)

Mumps myocarditis (B26.8†)

I47Paroxysmal tachycardia

I47.1Supraventricular tachycardia

Incl.:

Paroxysmal tTachycardia (paroxysmal):

- atrial
- atrioventricular [AV]:
 - o NOS
 - o <u>re-entrant (nodal) [AVNRT] [AVRT]</u>
- junctional
- nodal

I48 Atrial fibrillation and flutter

I48.0Paroxysmal atrial fibrillation

I48.1Persistent atrial fibrillation

I48.2Chronic atrial fibrillation

148.3Typical atrial flutter

Incl.:

Type I atrial flutter

148.4Atypical atrial flutter

Incl.:

Type II atrial flutter

148.9Atrial fibrillation and atrial flutter, unspecified

Diseases of arteries, arterioles and capillaries (170-179)

170 Atherosclerosis

Incl.:

arteriolosclerosis arteriosclerosis arteriosclerotic vascular disease atheroma degeneration:

- arterial
- arteriovascular

vascular

endarteritis deformans or obliterans senile:

- arteritis
- endarteritis

Excl.:

cerebral (I67.2) coronary (I25.1) mesenteric (K55.1) pulmonary (I27.0) Modifiers

The following supplementary classification to indicate the presence or absence of gangrene is provided for optional use with appropriate subcategories in I70.

-0 without gangrene

1 with gangrene

172Other aneurysm and dissection

172.6Aneurysm and dissection of vertebral artery

Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified (180-189)

IS4Haemorrhoids

Incl.:

piles

varicose veins of anus and rectum

Excl.:

complicating:

- childbirth and the puerperium (087.2)
- pregnancy (O22.4)

184.0Internal thrombosed haemorrhoids

184.1Internal haemorrhoids with other complications

Incl.:

Internal haemorrhoids:

- bleeding
- prolapsed
- strangulated
- ulcerated

184.2Internal haemorrhoids without complication

Incl.:

Internal haemorrhoids NOS

184.3External thrombosed haemorrhoids

Incl.:

Perianal haematoma (nontraumatic)

Perianal thrombosis

I84.4External haemorrhoids with other complications

Incl.:

External haemorrhoids:

- bleeding
- prolapsed
- strangulated
- ulcerated

184.5External haemorrhoids without complication

Incl.:

External haemorrhoids NOS

184.6Residual haemorrhoidal skin tags

Incl.:

Skin tags of anus or rectum

184.7Unspecified thrombosed haemorrhoids

Incl.:

Thrombosed haemorrhoids, unspecified whether internal or external

184.8Unspecified haemorrhoids with other complications

Incl.:

Haemorrhoids, unspecified whether internal or external:

- bleeding
- prolapsed
- strangulated
- ulcerated

184.9Unspecified haemorrhoids without complication

Incl.:

Haemorrhoids NOS

Chapter X Diseases of the respiratory system (J00-J99)

Other diseases of the respiratory system (J95-J99)

196 Respiratory failure, not elsewhere classified

Excl.:

cardiorespiratory failure (R09.2) postprocedural respiratory failure (J95.-) respiratory:

- arrest (R09.2)
- distress:
 - o syndrome of adult (J80)
 - o in newborn (P22.-)

Modifiers

The following supplementary subclassification is provided for optional use with subcategories in J96.-:

- 0 Type I [hypoxic]
- 1 Type II [hypercapnic]
- 9 Type unspecified

Chapter XI Diseases of the digestive system (K00-K93)

Diseases of oral cavity, salivary glands and jaws (K00-K14)

K02Dental caries

K02.5Caries with pulp exposure

K08Other disorders of teeth and supporting structures

K08.80ther specified disorders of teeth and supporting structures

Incl.:

Alveolar (process) cleft

Enlargement of alveolar ridge NOS

Irregular alveolar process

Toothache NOS

K09Cysts of oral region, not elsewhere classified

K09.1Developmental (nonodontogenic) cysts of oral region

Incl.:

Cyst (of):

- globulomaxillarynasolabial [nasoalveolar]
- <u>nasopalatine duct [incisive canal]</u>
- median palatal
- nasopalatine
- palatine papilla

K09.80ther cysts of oral region, not elsewhere classified

Incl.:

- Dermoid cyst
- Epidermoid cyst
- Lymphoepithelial cyst

of mouth

Epstein pearl

Nasoalveolar cyst

Nasolabial cyst

K10Other diseases of jaws

K10.2Inflammatory conditions of jaws

Incl.:

- Osteitis
- Osteomyelitis (neonatal)
- OsteoradionecrosisOsteonecrosis (druginduced)(radiation-induced)
- Periostitis

of jaw (acute)(chronic)(suppurati ve) Sequestrum of jaw bone

Use additional external cause code (Chapter XX), if desired, to identify radiation, if radiation-induced, or to identify drug, if drug-induced.

K12Stomatitis and related lesions

K12.30ral mucositis (ulcerative)

Incl.:

Mucositis(oral) (oropharyngeal):

- NOS
- drug-induced
- · radiation induced
- viral

Use additional external cause code (Chapter XX), if desired, to identify external agent

Excl.:

mucositis (ulcerative) of:

- nose and nasal sinuses (J34.8)
- vagina and vulva (N76.8)
- gastrointestinal tract (except oral cavity and oropharynx) (K92.8)

Diseases of oesophagus, stomach and duodenum (K20-K31)

Modifiers

K30 Functional dyspepsia

Incl.:

Indigestion

Excl.:

dyspepsia:

- nervous (F45.3)
- neurotic (F45.3)
- psychogenic (F45.3)

heartburn (R12)

Diseases of appendix (K35-K38)

K35 Acute appendicitis

K35.3Acute appendicitis with localized peritonitis

Incl.:

Acute appendicitis (with or without perforation or rupture) with peritonitis:

- NOS
- <u>localized</u>

Acute appendicitis with localized peritonitis with or without rupture or perforation

Acute appendicitis with peritoneal abscess

Hernia (K40-K46)

K43Ventral hernia

K43.0 Ve Incision tral hernia with obstruction, without gangrene

Incl.:

- VeIncisiontral hernia:
 - causing obstruction
 - incarcerated
 - o irreducible
 - strangulated

• without gangrene

K43.1 Ve Incision tral hernia with gangrene

Incl.:

Gangrenous ve<u>Incisio</u>ntral hernia

K43.2Incisional hernia without obstruction or gangrene

Incl.:

Incisional hernia NOS

K43.3Parastomal hernia with obstruction, without gangrene

Incl.:

- Parastomal hernia:
 - causing obstruction
 - o <u>incarcerated</u>
 - o <u>irreducible</u>

without gangrene

strangulated

K43.4Parastomal hernia with gangrene

Incl.:

Gangrenous parastomal hernia

K43.5Parastomal hernia without obstruction or gangrene

Incl.:

Parastomal hernia NOS

K43.60ther and unspecified ventral hernia with gangrene

Incl.:

Hernia:

- <u>epigastric</u>
- <u>hypogastric</u>
- <u>midline</u>
- spigelian
- <u>subxiphoid</u>
- Any condition listed under K43.6
 - o causing obstruction
 - o <u>incarcerated</u>
 - o <u>irreducible</u>
 - o <u>strangulated</u>

without gangrene

K43.70ther and unspecified ventral hernia with gangrene

Incl.:

Any condition listed under K43.6 specified as gangrenous

K43.9Ventral herniaOther and unspecified ventral hernia without obstruction or gangrene

Incl.:

Ventral hernia NOS

Noninfective enteritis and colitis (K50-K52)

K52Other noninfective gastroenteritis and colitis

K52.1Toxic gastroenteritis and colitis

Incl.:

Drug-induced gastroenteritis and colitis

Use additional external cause code (Chapter XX), if desired, to identify <u>drug, if drug-induced</u>, <u>or toxic agent</u>.

Other diseases of intestines (K55-K64)

Other diseases of intestines (K55-K63)

K59Other functional intestinal disorders

K59.3Megacolon, not elsewhere classified

Incl.:

Dilatation of colon

Toxic megacolon

Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

Excl.:

megacolon (<u>due to) (</u>in):

- Chagas disease (B57.3)
- Clostridium difficile (A04.7)
- congenital (aganglionic) (Q43.1)
- Hirschsprung disease (Q43.1)

K62Other diseases of anus and rectum

Incl.:

anal canal

Excl.:

colostomy and enterostomy malfunction (K91.4)

faecal incontinence (R15)

haemorrhoids (I8K64.-)

ulcerative proctitis (K51.2)

K63Other diseases of intestine

K63.1Perforation of intestine (nontraumatic)

Excl.:

perforation (nontraumatic) of:

- appendix (K35.) (K35.2, K35.3)
- duodenum (K26.-)

with diverticular disease (K57.-)

K64Haemorrhoids and perianal venous thrombosis

Incl.:

piles

Excl.:

complicating:

- childbirth and the puerperium (087.2)
- pregnancy (O22.4)

K64.0First degree haemorrhoids

Incl.:

Grade/stage I haemorrhoids

Haemorrhoids (bleeding) without prolapse outside of anal canal

K64.1Second degree haemorrhoids

Incl.:

Grade/stage II haemorrhoids

Haemorrhoids (bleeding) that prolapse with straining, but retract spontaneously

K64.2Third degree haemorrhoids

Incl.:

Grade/stage III haemorrhoids

 $\underline{\text{Haemorrhoids (bleeding) that prolapse with straining and require manual replacement}}$

back inside anal canal

K64.3Fourth degree haemorrhoids

Incl.:

Grade/stage IV haemorrhoids

Haemorrhoids (bleeding) with prolapsed tissue that cannot be manually replaced

K64.4Residual haemorrhoidal skin tags

Incl.:

Skin tags of anus

K64.5Perianal venous thrombosis

Incl.:

Perianal haematoma

K64.80ther specified haemorrhoids

K64.9Haemorrhoids, unspecified

Incl.:

Haemorrhoids (bleeding):

- NOS
- without mention of degree

Diseases of liver (K70-K77)

K72Hepatic failure, not elsewhere classified

Incl.:

hepatic:

- coma NOS
- · encephalopathy NOS

hepatitis:

acute

fulminant malignant NEC, with hepatic failure

liver (cell) necrosis with hepatic failure yellow liver atrophy or dystrophy

Excl.:

alcoholic hepatic failure (K70.4) hepatic failure complicating:

- abortion or ectopic or molar pregnancy (O00-O07, O08.8)
- pregnancy, childbirth and the puerperium (O26.6)

icterus of fetus and newborn (P55-P59) viral hepatitis (B15-B19) with toxic liver disease (K71.1)

K72.0Acute and subacute hepatic failure

Incl.:

Acute non-viral hepatitis NOS

K73Chronic hepatitis, not elsewhere classified

K73.2Chronic active hepatitis, not elsewhere classified

K75Other inflammatory liver diseases

```
Excl.:
```

chronic hepatitis NEC (K73.-) hepatitis:

- acute or subacute:
 - o NOS (B17.9)
 - o <u>Non-viral (</u>K72.0)
- viral (B15-B19)

toxic liver disease (K71.-)

K75.4Autoimmune hepatitis

Incl.:

Lupoid hepatitis NEC

K75.80ther specified inflammatory liver diseases

Incl.

Nonalcoholic steatohepatitis (NASH) [NASH]

K76Other diseases of liver

K76.0Fatty (change of) liver, not elsewhere classified

Incl.:

Nonalcoholic fatty liver disease (NAFLD) [NAFLD]

Excl.:

nonalcoholic steatohepatitis (K75.8)

Chapter XII

Diseases of the skin and subcutaneous tissue (L00-L99)

Infections of the skin and subcutaneous tissue (L00-L08)

LOSOther local infections of skin and subcutaneous tissue

L08.0Pyoderma

Incl.:

Dermatitis:

- <u>gangrenosa</u>
- purulent
- septic
- suppurative

Excl.:

pyoderma gangrenosum (L88)

Dermatitis and eczema (L20-L30)

Note:

In this block the terms dermatitis and eczema are used synonymously and interchangeably.

Excl.:

chronic (childhood) granulomatous disease (D71) dermatitis:

- dry skin (L85.3)
- factitial (L98.1)
- gangrenosa (L88) (L08.0)
- herpetiformis (L13.0)
- perioral (L71.0)
- stasis (I83.1-I83.2)

radiation-related disorders of the skin and subcutaneous tissue (L55-L59)

Papulosquamous disorders (L40-L45)

L41 Parapsoriasis

L41.2Lymphomatoid papulosis

Urticaria and erythema (L50-L54)

L50 Urticaria

Excl.:

```
allergic contact dermatitis (L23.-) angioneurotic oedema (T78.3) hereditary angio-oedema (€D84.1) Quincke oedema (T78.3) urticaria:
```

- giant (T78.3)
- neonatorum (P83.8)
- papulosa (L28.2)
- pigmentosa (Q82.2)
- serum (T80.6)
- solar (L56.3)

Other disorders of the skin and subcutaneous tissue (L80-L99)

L88Pyoderma gangrenosum

Incl.:

Dermatitis gangrenosa Phagedenic pyoderma

Phagedenic pyoderma

Excl.:

dermatitis gangrenosa (L08.0)

L98Other disorders of skin and subcutaneous tissue, not elsewhere classified

L98.5Mucinosis of skin

Incl.:

Focal mucinosis

Lichen myxoedematosus

Reticular erythematous mucinosis

Excl.:

focal oral mucinosis (K13.7) myxoedema (E03.9)

Chapter XIII

Diseases of the musculoskeletal system and connective tissue (M00-M99)

Modifiers

Arthropathies (M00-M25)

Infectious arthropathies (M00-M03)

M00Pyogenic arthritis

[See site code at the beginning of this chapter]

Excl.:

infection and inflammatory reaction due to internal joint prosthesis (T84.5)

Modifiers

Soft tissue disorders (M60-M79)

Other soft tissue disorders (M70-M79)

M76Enthesopathies of lower limb, excluding foot

[See site code at the beginning of this chapter]

Note:

The superficially specific terms bursitis, capsulitis and tendinitis tend to be used indiscriminately for various disorders of peripheral ligamentous or muscular attach–ments; most of these conditions have been brought together as enthesopathies which is the generic term for lesions at these sites.

Excl.:

bursitis due to use, overuse and pressure (M70.-)
Modifiers

Osteopathies and chondropathies (M80-M94)

Disorders of bone density and structure (M80-M85)

M83 Adult osteomalacia

[See site code at the beginning of this chapter]

Excl.:

osteomalacia:

- infantile and juvenile (E55.0)
- vitamin-D-resistant (E83.3)

renal osteodystrophy (N25.0)
rickets (active) (E55.0)
rickets (active)

- sequelae (E64.3)
- vitamin-D-resistant (E83.3)

rickets (active) (E55.0)
rickets (active)

- sequelae (E64.3)
- vitamin D resistant (E83.3)

Modifiers

Other osteopathies (M86-M90)

M87 Osteonecrosis

[See site code at the beginning of this chapter]

Incl.:

avascular necrosis of bone

Excl.:

osteochondropathies (M91-M93)

osteonecrosis of jaw (drug-induced) (radiation-induced) (K10.2)

Modifiers

Chapter XIV Diseases of the genitourinary system (N00-N99)

Glomerular diseases (N00-N08)

Use additional code, if desired, to identify associated chronic kidney disease (N18.-).

Use additional code, if desired, to identify external cause (Chapter XX) or presence of renal failure, Acute (N17), Chronic (N18.-), or (N17.-) or Unspecified (N19.) (N19).

Excl.:

hypertensive renal disease (I12.-)

Modifiers

Renal failure (N17-N19)

N18 Chronic kidney disease

N18.1Chronic kidney disease, stage 1

Kidney damage with normal or increased GFR ($\Rightarrow \geq 90$ mL/min)

N19 Unspecified kidney failure

Incl.:

Renal insufficiency NOS

Uraemia NOS

Excl.:

kidney failure—with hypertension due to hypertension (I12.0) uraemia of newborn (P96.0)

Other disorders of kidney and ureter (N25-N29)

N26Unspecified contracted kidney

Incl.:

Atrophy of kidney (terminal)

Renal sclerosis NOS

Excl.:

contracted kidney-with hypertension due to hypertension (I12.-)

diffuse sclerosing glomerulonephritis (N18.-)

hypertensive nephrosclerosis (arteriolar)(arteriosclerotic) (I12.-)

small kidney of unknown cause (N27.-)

Other diseases of urinary system (N30-N39)

N32Other disorders of bladder

N32.80ther specified disorders of bladder

Incl.:

Bladder:

- calcified
- contracted
- overactive

N36Other disorders of urethra

N36.3Prolapsed urethral mucosa

Incl.:

Prolapse of urethra

Urethrocele, male

Excl.:

urethrocele:

- congenital (Q64.7)
- <u>female (N81.0)</u>

urethrocele, female (N81.0)

Diseases of male genital organs (N40-N51)

N40 Hyperplasia of prostate

Incl.:

Adenofibromatous hypertrophy Enlargement (benign)

Hypertrophy (benign)

of prostate

Median bar (prostate)

Prostatic obstruction NOS

Excl.:

benign neoplasms, of prostate (D29.1)

Noninflammatory disorders of female genital tract (N80-N98)

N81 Female genital prolapse

N81.0Female urethrocele

Excl.:

congenital (Q64.7)

urethrocele with:

- cystocele (N81.1)
- prolapse of uterus (N81.2-N81.4)

Chapter XV Pregnancy, childbirth and the puerperium (000-099)

The codes included in this chapter are to be used for conditions related to or aggravated by the pregnancy, childbirth or by the puerperium (maternal causes or obstetric causes)

Excl.:

Certain diseases or injuries complicating pregnancy, childbirth and the puerperium classified elsewhere:

- external causes (for mortality) (V00-Y89)
- <u>injury</u>, <u>poisoning and certain other consequences of external cause (S00-T88.1, T88.6-T98)</u>
- mental and behavioural disorders associated with the puerperium (F53.-)
- <u>obstetrical tetanus (A34)</u>
- postpartum necrosis of pituitary gland (E23.0)
- puerperal osteomalacia (M83.0)

external causes (for mortality) (V, W, X,injury, poisoning and certain other consequences of external cause (S00-T88.1), (T88.6-T98) mental and behavioural disorders associated with the puerperium (F53...) obstetrical tetanus (A34) postpartum necrosis of pituitary gland (E23.0) puerperal osteomalacia (M83.0) supervision of:

- high-risk pregnancy (Z35.-)normal pregnancy (Z34.-)

Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium (O10-O16)

Incl.:

the listed conditions with pre-existing proteinuria

Excl.:

that with increased or superimposed prote-eclampsinuria (O11)

O11Pre-existing hypertensive disorder with superimposed proteinuria Pre-eclampsia superimposed on chronic hypertension

Incl.:

Conditions in O10.- complicated by <u>incpre-eclampsed proteinur</u>ia <u>Pre-eclampsia superimposed on:</u>

- <u>hypertension NOS</u>
- pre-existing hypertension

Superimposed pre-eclampsia

013Gestational [pregnancy-induced] hypertension-without significant proteinuria

Incl.:

Gestational Pregnancy-induced

hypertension NOS

Gestational hypertension NOS

Mild pre-eclampsia Transient hypertension of pregnancy

O14Gestational [pregnancy induced] hypertension with significant proteinuria Preeclampsia

Excl.:

superimposed pre-eclampsia (O11)

014.0 Moderate pre-eclampsia Mild to moderate pre-eclampsia

Other maternal disorders predominantly related to pregnancy (020-029)

022Venous complications and haemorrhoids in pregnancy

Excl.:

obstetric pulmonary embolism (O88.-)

the listed conditions as complications of:

• abortion or ectopic or molar pregnancy (O00-O07, O08.7)

• childbirth and the puerperium (O87.-)

023Infections of genitourinary tract in pregnancy

Excl.:

gonococcal infections (098.2)

infections with a predominantly sexual mode of transmission NOS (098.3)

syphilis (098.1)

tuberculosis of genitourinary system (098.0)

venereal disease NOS (098.3)

024Diabetes mellitus in pregnancy

024.0Pre-existing type 1 diabetes mellitus, insulin dependent

024.1Pre-existing type 2 diabetes mellitus, non-insulin-dependent

Complications of labour and delivery (060-075)

070Perineal laceration during delivery

Incl.:

episiotomy extended by laceration

Excl.:

obstetric high vaginal laceration (O71.4)

obstetric high vaginal laceration alone vaginal sulcus laceration (071.4)

070.0First degree perineal laceration during delivery

Incl.:

- Perineal laceration, rupture or tear (involving):
 - o fourchette
 - o labia
 - periurethral tissue
 - o skin
 - slight
 - o vagina<u>, low</u>
 - o vulva

during delivery

Excl.:

periurethral laceration involving urethra (O71.5)

that with laceration of:

- high vaginal wall (middle)(upper third of vaginal wall) (071.4)
- vaginal sulcus (071.4)

071Other obstetric trauma

071.40bstetric high vaginal laceration-alone

Incl.:

Laceration of:

- middle or upper third of vaginal wall
- vaginal sulcus

Laceration of vaginal wall without mention of perineal laceration

Excl.:

with perineal laceration that of the lower vagina (O70.-)

071.50ther obstetric injury to pelvic organs

Incl.:

Obstetric injury to:

- bladder
- urethra

Excl.:

(minor) laceration involving periurethral tissue only (070.0)

Complications predominantly related to the puerperium (085-092)

087Venous complications and haemorrhoids in the puerperium

Incl.:

in labour, delivery and the puerperium

Excl.:

obstetric embolism (O88.-)

venous complications in pregnancy (O22.-)

Other obstetric conditions, not elsewhere classified (094-099)

O94Sequelae of complication of pregnancy, childbirth and the puerperium

Note:

This category is to be used for morbidity coding only to indicate conditions in categories O00-O75 and O85-O92 as the cause of sequelae, which are themselves classified elsewhere. The 'sequelae' include conditions specified as such or as late effects, or those present one year or more after the onset of the causal condition.

Not to be used for chronic complications of pregnancy, childbirth and the puerperium. Code these to 000-075 and 085-092.

Excl.:

that resulting in death (096.-, 097.-)

097 Death from sequelae of obstetric causes

Incl.:

Death from any obstetric cause (direct or indirect) occurring one year or more after delivery

Use additional code, if desired, to identify the obstetric cause (direct or indirect)

<u>Death from any obstetric cause (direct or indirect) occurring one year or more after</u> <u>delivery</u>

Use additional code, if desired, to identify the obstetric cause (direct or indirect)

O98 Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium

O98.7Human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium

Conditions in (B20-B24)

O99Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium

O99.6Diseases of the digestive system complicating pregnancy, childbirth and the puerperium

Incl.:

Conditions in K00-K93

Excl.:

haemorrhoids in pregnancy (O22.4)

liver disorders in pregnancy, childbirth and the puerperium (O26.6)

Chapter XVI
Certain conditions originating in the perinatal period (P00-P96)

Respiratory and cardiovascular disorders specific to the perinatal period

(P20-P29)

P28Other respiratory conditions originating in the perinatal period

P28.3Primary sleep apnoea of newborn

Incl.:

Sleep apnoea of newborn:

- <u>central</u>
- NOS
- <u>obstructive</u>

Sleep apnoea of newborn NOS

P28.40ther apnoea of newborn

Incl.:

Apnoea (of):

- newborn, obstructive
- prematurity

Excl.:

obstructive sleep apnoea of newborn (P28.3)

Haemorrhagic and haematological disorders of fetus and newborn (P50-P61)

P59Neonatal jaundice from other and unspecified causes

P59.2Neonatal jaundice from other and unspecified hepatocellular damage

Incl.:

Fetal or neonatal (idiopathic) giant cell hepatitis

Giant cell hepatitis Fetal or neonatal (idiopathic) hepatitis

Excl.:

congenital viral hepatitis (P35.3)

Transitory endocrine and metabolic disorders specific to fetus and newborn (P70-P74)

P70 Transitory disorders of carbohydrate metabolism specific to fetus and newborn

P70.1Syndrome of infant of a diabetic mother

Incl.:

Fetus or newborn (with hypoglycaemia) affected by maternal diabetes mellitus (preexisting)

Chapter XVII

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Congenital malformations of eye, ear, face and neck (Q10-Q18)

Excl.:

cleft lip and cleft palate (Q35-Q37) congenital malformation of:

- cervical spine (Q05.0, Q05.5, Q67.5, Q76.0-Q76.4)
- larynx (Q31.-)
- lip NEC (Q38.0)
- nose (Q30.-)
- parathyroid gland (Q89.2)
- thyroid gland (Q89.2)

, , ,

Congenital malformations of the circulatory system (Q20-Q28)

Q23 Congenital malformations of aortic and mitral valves

Q23.4Hypoplastic left heart syndrome

Atresia, or marked hypoplasia of aortic orifice or valve, with hypoplasia of ascending aorta and defective develop–ment of left ventricle (with mitral valve stenosis or atresia).

Q25Congenital malformations of great arteries

Q25.3Stenosis of aorta

Incl.:

Supravalvular aortic stenosis

Excl.:

congenital stenosis of aortic stvalvenosis (Q23.0)

Chapter XVIII

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Symptoms and signs involving the digestive system and abdomen (R10-R19)

R10Abdominal and pelvic pain

R10.1Pain localized to upper abdomen

Incl.:

Dyspepsia NOS

Epigastric pain

Excl.:

functional dyspepsia (K30)

R12Heartburn

Excl.:

dyspepsia:

- NOS (R10.1)
- <u>functional (</u>K30)

General symptoms and signs (R50-R69)

R53Malaise and fatigue

Incl.:

Asthenia NOS

Debility:

- NOS
- chronic
- nervous

General physical deterioration

Lethargy

Tiredness

Excl.:

debility:

- congenital (P96.9)
- senile (R54)

exhaustion and fatigue (due to)(in):

- combat (F43.0)
- excessive exertion (T73.3)
- exposure (T73.2)
- heat (T67.-)
- neurasthenia (F48.0)
- pregnancy (O26.8)
- senile asthenia (R54)

fatigue syndrome (F48.0) fatigue syndrome

• postviral (G93.3)

Ill-defined and unknown causes of mortality (R95-R99)

R95Sudden infant death syndrome

R95.0Sudden infant death syndrome with mention of autopsy

R95.9Sudden infant death syndrome without mention of autopsy

Incl.:

Sudden infant death syndrome, unspecified

R96Other sudden death, cause unknown

Excl.:

sudden:

- cardiac death, so described (I46.1)
- infant death syndrome (R95) (R95.-)

Chapter XIX

Injury, poisoning and certain other consequences of external causes (S00-T98)

Excl.:

birth trauma (P10-P15)
obstetric trauma (O70-O71)
malunion of fracture (M84.0)
nonunion of fracture [pseudarthrosis] (M84.1)
pathological fracture (M84.4)
pathological fracture with osteoporosis (M80.-)
stress fracture (M84.3)

The chapter uses the S-section for coding different types of injuries related to single body regions and the T-section to cover injuries to multiple or unspecified body regions as well as poisoning and certain other consequences of external causes.

Where multiple sites of injury are specified in the titles, the word "with" indicates involvement of both sites, and the word "and" indicates involvement of either or both sites.

The principle of multiple coding of injuries should be followed wherever possible. Combination categories for multiple injuries are provided for use when there is insufficient detail as to the nature of the individual conditions, or for primary tabulation purposes when it is more convenient to record a single code; otherwise, the component injuries should be coded separately. Reference should also be made to the morbidity or mortality coding rules and guidelines in Volume 2.

The blocks of the S-section as well as T00-T14 and T90-T98 contain injuries at the three-character level classified by type as follows:

Superficial injury including:

abrasion

blister (nonthermal)

contusion, including bruise and haematoma

injury from superficial foreign body (splinter) without major open wound insect bite (nonvenomous)

Open wound including:

animal bite

cut

laceration

puncture wound:

- NOS
- with (penetrating) foreign body

Fracture including:

Fracture:

closed:		with or without delayed healing
	 compound 	man or manous asia, ou mouning

- infected
- missile
- fissured
- greenstick
- impacted
- linear
- march
- simple
- slipped epiphysis
- spiral
- dislocated
- displaced

Fracture:

open:

- compound
- infected
- missile
- puncture
- · with foreign body

with or without delayed healing

Excl.: fracture:

- pathological (M84.4)
- -- with osteoporosis (M80.-)
- stress (M84.3)

malunion of fracture (M84.0)

nonunion of fracture (M84.1)

Dislocation, sprain and strain including:

avulsion		
laceration		
sprain		
strain		cartilage
traumatic:	of	joint (capsule)
 haemarthrosis 		ligament
 rupture 		
 subluxation 		
tear		

Injury to nerves and spinal cord including:

complete or incomplete lesion of spinal cord lesion in continuity of nerves and spinal cord traumatic:

- division of nerve
- haematomyelia

- paralysis(transient)
- paraplegia
- quadriplegia

Injury to blood vessels including:

avulsion		
cut		
laceration		
traumatic:		of blood vessels
 aneurysm or fistula 	(arteriovenous)	
 arterial haematoma 		
rupture		

Injury to muscle, fascia and tendon including:

avulsion	
cut	
laceration	of muscle, fascia and tendon
<u>s</u> tra umat i c rupture <u>n</u>	
stra <u>umat</u> in <u>c rupture</u>	

Crushing injury Traumatic amputation

Injury to internal organs including:

blast injuries bruise	
concussion injuries	of internal organs
crushing	
laceration	
traumatic:	
 haematoma 	
 puncture 	
 rupture 	
• tear	

Other and unspecified injuries

Injuries to the wrist and hand (S60-S69)

S61Open wound of wrist and hand

S61.90pen wound of wrist and hand-part, part unspecified

Injuries to the hip and thigh (S70-S79)

S79Other and unspecified injuries of hip and thigh

Injuries to the knee and lower leg (S80-S89)

S82Fracture of lower leg, including ankle

Modifiers

S82.1Fracture of upper end of tibia

Incl.:

- Tibial:
 - condyles
 - head
 - o plateau
 - proximal end
 - tuberosity

with or without mention of fracture of fibula

Injuries involving multiple body regions (T00-T07)

Incl.:

bilateral involvement of limbs of the same body region

Injuries injuries by type involving two or more body regions classifiable within S00-S99

Excl.:

burns and corrosions (T20-T32)

frostbite (T33-T35)

insect bite or sting, venomous (T63.4)

multiple injuries involving only one body region - see S-section

sunburn (L55.-)

Complications of surgical and medical care, not elsewhere classified (T80-T88)

T80 Complications following infusion, transfusion and therapeutic injection

T80.1Vascular complications following infusion, transfusion and therapeutic injection

Incl.:

- Phlebitis
- Thromboembolism
- Thrombophlebitis

 following infusion, transfusion and therapeutic injection

Excl.:

the listed conditions when specified as:

- due to prosthetic devices, implants and grafts (T82.8, T83.8, T84.8, T85.8)
- postprocedural (T81.7)

 $\overline{I - I - I}$

T80.2Infections following infusion, transfusion and therapeutic injection

Incl.:

- Infection
- Sepsis
- following infusion, transfusion and therapeutic injection

Use additional code (R57.2), if desired, to identify septic shock

Excl.:

the listed conditions when specified as:

- due to prosthetic devices, implants and grafts (T82.6-T82.7, T83.5-T83.6, T84.5-T84.7, T85.7)
- postprocedural (T81.4)

, , ,

Chapter XX

External causes of morbidity and mortality (V01-Y98)

Modifiers

Accidents (V01-X59)

Modifiers

Other external causes of accidental injury (W00-X59)

Falls (W00-W19)

W17Other fall from one level to another

Incl.:

fall from or into:

- cavity
- <u>cherry picker</u>
- dock
- haystack
- hole
- <u>lifting device</u>
- mobile elevated work platform [MEWP]
- pit
- quarry
- shaft
- sky lift
- tank
- well

Accidental poisoning by and exposure to noxious substances (X40-X49)

X47 Accidental poisoning by and exposure to other gases and vapours

Incl.:

carbon monoxide

helium (nonmedicinal) NEC

lacrimogenic gas [tear gas]

motor (vehicle) exhaust gas

nitrogen oxides

sulfur dioxide

utility gas

Excl.:

metal fumes and vapours (X49)

Intentional self-harm (X60-X84)

Modifiers

X67 Intentional self-poisoning by and exposure to other gases and vapours

Incl.:

carbon monoxide

helium (nonmedicinal) NEC

lacrimogenic gas [tear gas] motor (vehicle) exhaust gas

nitrogen oxides

sulfur dioxide

utility gas

Excl.:

metal fumes and vapours (X69)

Event of undetermined intent (Y10-Y34)

Modifiers

Y17 Poisoning by and exposure to other gases and vapours, undetermined intent

Incl.:

carbon monoxide

helium (nonmedicinal) NEC

lacrimogenic gas [tear gas]

motor (vehicle) exhaust gas

nitrogen oxides

sulfur dioxide

utility gas

Excl.:

metal fumes and vapours (Y19)

Complications of medical and surgical care (Y40-Y84)

Modifiers

Misadventures to patients during surgical and medical care (Y60-Y69)

Excl.:

breakdown or malfunctioning of medical device (during procedure)(after implantation)(ongoing use) (Y70-Y82)

medical devices associated with adverse incidents due to external causes classified elsewhere (V01-Y59, Y85-Y87, Y89)

surgical and medical procedures as the cause of abnormal reaction of the patient, without mention of misadventure at the time of the procedure (Y83-Y84)

Medical devices associated with adverse incidents in diagnostic and therapeutic use (Y70-Y82)

Incl.:

breakdown or malfunctioning of medical device (during procedure)(after implantation)(ongoing use)

Excl.:

<u>later complications following use of medical devices without mention of breakdown or malfunctioning of medical device (Y83-Y84)</u>

misadventure to patients during surgical and medical care, classifiable to Y60-Y69 (Y60-Y69) medical devices associated with adverse incidents due to external causes classified elsewhere (V01-Y59, Y85-Y87, Y89)

later complications following use of medical devices without mention of breakdown or malfunctioning of misadventure to patients during surgical and medical-device (Y83-Y84) care, classifiable to Y60-Y69 (Y60-Y69)

Modifiers

Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83-Y84)

Excl.:

breakdown or malfunctioning of medical device (during

procedure)(after implantation)(ongoing use) (Y70-Y82)

misadventures to patients during surgical and medical care, classifiable to Y60-Y69 (Y60-Y69) medical devices associated with adverse incidents due to external causes classified

elsewhere (V01-Y59, Y85-Y87, Y89)

breakdown or malfunctioning of medical device

(during procedure)(after implantation)(ongoing use) (Y70-

Y82) misadventures to patients during surgical and medical care, classifiable to Y60-Y69 (Y60-Y69)

Chapter XXI

Factors influencing health status and contact with health services (Z00-Z99)

Persons encountering health services for specific procedures and health care (Z40-Z54)

Z45Adjustment and management of implanted device

Z45.0Adjustment and management of cardiac pacemaker devices

Incl.:

Checking and testing of pulse generator [battery] cardiac devices

Persons encountering health services in other circumstances (Z70-Z76)

272 Problems related to lifestyle

Z72.2Drug use

Excl.:

abuse of non-dependence-producing substances (F55) drug dependence (F11-F16, F19.) F19 with common fourth character -2.2)

Persons with potential health hazards related to family and personal history and certain conditions influencing health status (Z80-Z99)

Z95Presence of cardiac and vascular implants and grafts

Z95.0Presence of <u>electronic</u> cardiac <u>pacemaker devices</u>

Incl.:

Presence of:

- <u>cardiac pacemaker</u>
- <u>cardiac resynchronization therapy defibrillator (CRT-D)</u>
- cardiac resynchronization therapy (CRT) pacemaker
- cardioverter-defibrillator (ICD)

Excl.:

adjustment or management of cardiac devices (Z45.0)

adjustment or management of cardiac pacemaker (Z45.0)dependence on artificial heart (Z99.4)

Z99.4Dependence on artificial heart

Chapter XXII

Codes for special purposes
(U00-U895)

Provisional assignment of new diseases of uncertain etiology or emergency use (U00-U49)

U06Emergency use of U06

Note:

Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain etiology. In emergency situations codes are not always accessible in electronic systems. The specification of category U06 in the way it is done here will make sure this category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.

U06.0Emergency use of U06.0

U06.1Emergency use of U06.1

U06.2Emergency use of U06.2

U06.3Emergency use of U06.3

U06.4Emergency use of U06.4

U06.5Emergency use of U06.5

U06.6Emergency use of U06.6

U06.7Emergency use of U06.7

U06.8Emergency use of U06.8

U06.9Emergency use of U06.9

U07 Emergency use of U07

Note:

Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain etiology. In emergency situations codes are not always accessible in electronic systems. The specification of category U06 in the way it is done here will make sure this

category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.

U07.0Emergency use of U07.0

U07.1Emergency use of U07.1

U07.2Emergency use of U07.2

U07.3Emergency use of U07.3

U07.4Emergency use of U07.4

U07.5Emergency use of U07.5

U07.6Emergency use of U07.6

U07.7Emergency use of U07.7

U07.8Emergency use of U07.8

U07.9Emergency use of U07.9

Bacterial agents resistant to antibiotics (U80-U89)

Note:

These categories should never be used in primary coding. They are provided for use as supplementary or additional codes when it is desired to identify the antibiotic to which a bacterial agent is resistant, in bacterial infection classified elsewhere.

433 Agent resistant to penicillin and related antibiotics

U80.0Penicillin resistant agent

U80.1Methicillin resistant agent

U80.8Agent resistant to other penicillin-related antibiotic

Agent resistant to vancomycin and related antibiotics

U81.0Vancomycin resistant agent

U81.8Agent resistant to other vancomycin-related antibiotic

Resistance to antimicrobial and antineoplastic drugs (U82-U85)

Note:

These categories should never be used in primary coding. The codes are provided for use as supplementary or additional codes when it is desired to identify the resistance, non-responsiveness and refractive properties of a condition to antimicrobials and antineoplastic drugs.

U82Resistance to betalactam antibiotics

<u>Use additional code (B95-B98)</u>, if desired, to identify agents resistant to betalactam antibiotic treatment.

U82.0Resistance to penicillin

Incl.:

Resistance to:

- <u>Amoxicillin</u>
- <u>Ampicillin</u>

U82.1Resistance to methicillin

Incl.:

Resistance to:

- <u>Cloxacillin</u>
- Flucloxacillin
- Oxacillin

U82.2Extended spectrum betalactamase (ESBL) resistance

U82.8Resistance to other betalactam antibiotics

U82.9Resistance to betalactam antibiotics, unspecified

U83 Resistance to other antibiotics

<u>Use additional code (B95-B98)</u>, if desired, to identify agents resistant to other antibiotic <u>treatment</u>.

U83.0Resistance to vancomycin

U83.1Resistance to other vancomycin related antibiotics

U83.2Resistance to quinolones

U83.7Resistance to multiple antibiotics

U83.8Resistance to other single specified antibiotic

U83.9Resistance to unspecified antibiotic

Resistance to antibiotics NOS

U84 Resistance to other antimicrobial drugs

<u>Use additional code (B95-B98)</u>, if desired, to identify agents resistant to other antibiotic <u>treatment</u>.

Excl.:

Resistance to antibiotics (U82-U83)

U84.0Resistance to antiparasitic drug(s)

Incl.:

Resistance to quinine and related compounds

U84.1Resistance to antifungal drug(s)

U84.2Resistance to antiviral drug(s)

U84.3Resistance to tuberculostatic drug(s)

U84.7Resistance to multiple antimicrobial drugs

Excl.:

Resistance to multiple antibiotics only (U83.7)

U84.8Resistance to other specified antimicrobial drug

U84.9Resistance to unspecified antimicrobial drugs

Incl.:

Drug resistance NOS

U85Resistance to antineoplastic drugs

Incl.:

 $\underline{\text{Non-responsiveness to antineoplastic drugs}}$

Refractory cancer

USSAgent resistant to multiple antibiotics

Note:

This category is provided for use when a bacterial agent is resistant to two or more antibiotics but there is insufficient detail to determine which antibiotic is contributing most to the "main condition". It should also be used for primary tabulation purposes when it is more convenient to record a single code; otherwise each specific antibiotic resistant agent should be coded separately.

Agent resistant to other and unspecified antibiotics

U89.8Agent resistant to other single specified antibiotic

U89.9Agent resistant to unspecified antibiotic